

Vegetable Cultivars for Kentucky Gardens—2009

Compiled by R. Durham, T. Coolong, J.G. Strang, and R.T. Jones, Department of Horticulture, and K. Seebold, Department of Plant Pathology

Gardening makes sense! Growing your own vegetables makes you feel self-sufficient and provides fresh, healthful food. Your surplus crop can be frozen, canned, or stored in cool, dry locations.

To assure gardening success, start by selecting suitable vegetable cultivars. Planting resistant or tolerant varieties is one of the most effective ways for the home gardener to avoid destructive vegetable diseases.

Resistance to Disease

Resistance generally refers to the plant's ability to grow in an environment favorable for disease development yet experience less disease. Resistant or tolerant varieties are *not* immune to disease.

Tolerance refers to the plant's ability to sustain the effects of disease without suffering serious loss. Many cultivars listed here carry resistance or tolerance to one

or more diseases. Many, but not all, of these diseases occur in Kentucky. Commercial seed catalogs generally provide information on resistance and tolerance; this information is included in the table of recommended vegetable cultivars in this publication. Be aware that disease resistance may be ineffective where local, unique strains of pathogens occur.

Today's gardener may choose vegetable cultivars with good taste, long harvest time, unique shape, and other desirable horticultural characteristics in addition to disease resistance.

University of Kentucky horticulturists test vegetable cultivars every year, and many of the varieties listed below were tested by UK and were found to produce high yields and high-quality produce. The vegetable cultivars listed in this publication are good ones, but they are not the only reliable ones.

Other interesting vegetables to try for variety:

Garlic, parsnips, peanuts (use Spanish and Valencia types—90 to 120 days maturity—rather than Virginia type), rutabagas. Annual herbs that are great for cooking: sweet basil, chervil (French parsley), dill (use leaves as well as seeds), sweet marjoram, parsley, summer savory, cilantro (Delfino).

Special thanks:

Thanks to the following who have contributed to this publication: J. Hartman, D. B. Slone, J. Pfeiffer, S. Dutton, D. Spalding and the Fayette County Master Gardeners.

Mention or display of a trademark, proprietary product, or firm in text or figures does not constitute an endorsement and does not imply approval to the exclusion of other suitable products or firms.

Kentucky Seed Companies

Bunton Seed Co.
 939 East Jefferson St.
 Louisville, KY 40206
 (800) 844-7333
www.buntonseed.com

Fayette Seed Co.
 731 Red Mile Rd.
 Lexington, KY 40508
 (859) 255-3334

Ferry-Morse Seed Co.
 P.O. Box 1620
 Fulton, KY 42041
 (fax or Internet orders only)
 fax: (270) 472-3402
 Gardener Help Line: (800) 283-3400
www.Ferry-Morse.com

Green Seed Co.
 P.O. Box 311
 Paris, KY 40361
 (859) 987-7333

Premium Seed & Horticultural Supply Co.
 915 E. Jefferson St.
 Louisville, KY 40206
 (502) 582-3897

Southern States Cooperatives
 (located throughout Kentucky)

Catalog Seed Companies

Baker Creek Heirloom Seeds
 2278 Baker Creek Rd.
 Mansfield, MO 65704
 (417) 924-8917
www.rareseeds.com

Burgess Seed & Plant Co.
 905 Four Seasons Rd.
 Bloomington, IL 61701
 (309) 662-7761
www.eburgess.com

Burpee, W. Atlee & Co.
 300 Park Ave.
 Warminster, PA 18991
 (800) 888-1447
www.burpee.com

D.V. Burrell Seed Growers Co.
 Box 150
 Rocky Ford, CO 81067
 (719) 254-3318

Earl May Seed & Nursery Co.
208 N. Elm St.
Shenandoah, IA 51603
(800) 831-4193
www.earlmay.com

Enchanted Seeds
P.O. Box 6087
Las Cruces, NM 88006
(505) 523-6058
www.enchantedseeds.com

Fedco Seeds
P.O. Box 520
Waterville, ME 04903
(207) 873-7333
www.fedcoseeds.com

George W. Park Seed Co.
1 Parkton Ave.
Greenwood, SC 29649
(800) 213-0076
www.parkseed.com

Gurney Seed and Nursery Co.
P.O. Box 4178
Greendale, IN 47025-4178
(812) 539-2499
www.gurneys.com

Harris Seeds
60 Saginaw Dr.
P.O. Box 22966
Rochester, NY 14692-0966
(800) 514-4441
www.harriseseeds.com

Henry Fields Seed & Nursery Co
Customer Service
P.O. Box 397
Aurora, IN 47001
(513) 354-1494
www.henryfields.com

Johnny's Selected Seeds
955 Benton Ave.
Winslow, ME 04901-2601
(207) 437-9294
(800) 879-2258
www.johnnyseeds.com

Jung Seed Co.
335 S. High St.
Randolph, WI 53957
(800) 297-3123
www.jungseed.com

Liberty Seed Co.
P.O. Box 806
New Philadelphia, OH 44663
(800) 541-6022
www.libertyseed.com

New England Seed Co.
3580 Main St.
Bldg. 10, Hartford, CT 06120
(800) 825-5477
www.neseed.com

Nichols Garden Nursery
1190 Old Salem Rd. N.E.
Albany, OR 97321-4580
(800) 422-3985
www.nicholsgardennursery.com

Otis S. Twilley Seed Co.
121 Gary Rd.
Hodges, SC 29653
(800) 622-7333
www.twilleyseed.com

The Pepper Gal
P.O. Box 23006
Fort Lauderdale, FL 33307-3007
(954) 537-5540
www.interlinked.com/dir/t19545375540.
html

RH Shumway's
334 W. Stroudt St.
Randolph, WI 53956
(800) 342-8461

Ronninger Potato Farm
12101 2135 Rd.
Austin, CO 81410
www.ronningers.com

Rupp Seed Inc.
17919 County Road B
Wauseon, OH, 43567-9458
(419) 337-184 or (419) 337-5491
fax: (800) 700-1199 (vegetable orders)
www.ruppseeds.com

Seed Savers Exchange
3076 North Winn Rd.
Decorah, IA 52101
(319) 382-5990
www.seedsavers.org

Seedway
1225 Zeager Rd.
Elizabethtown, PA 17022
(800) 952-7333
www.seedway.com

Shepherd's Garden Seeds
30 Irene St.
Torrington, CT 06790
(860) 503-9624
www.shepherdseeds.com

Stokes Seeds
P.O. Box 548
Buffalo, NY 14204
(800) 396-9238
www.stokeseeds.com

Territorial Seed Co.
P.O. Box 158
Cottage Grove, OR 97424
(541) 942-9547
www.territorialseed.com

Totally Tomatoes
Customer Service
334 W Stroud St.
Randolph, WI 53956
(800) 345-5977
www.totallytomato.com

Willhite Seed
P.O. Box 23
Poolville, TX 76487
(817) 599-8656 or (800) 828-1840
www.willhiteeed.com

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

ASPARAGUS

Jersey King	2-3 yrs	R
Jersey Knight	2-3 yrs	R
Jersey Giant	2-3 yrs	R
Jersey Prince	2-3 yrs	R

BEAN, GREEN

Provider (bush type)	50	BCM, PM, VI
Romano Bush	50	BCM, VI
State Half Runner	52	
Tendercrop (bush type)	54	BCM, VI
Goldkist (yellow wax bean, bush type)	55	
Blue Lake Bush 274	58	BCM, VI
Romano II (bush Romano type)	59	BCM, R
Maxibel (long, thin French bean/bush type)	60	
Volunteer (half runner)	60	BCM, R
Kentucky Blue (pole type)	60-65	BCM

BEAN, LIMA

Henderson Bush (bush, baby lima)	65	
Dixie Butterpea White (bush, baby lima)	75	
Fordhook 242 (bush, large-seeded lima)	78	
King of the Garden (pole, large-seeded lima)	90	

BEET

Ruby Queen	52	
Red Ace	53	
Pacemaker II	55	
Warrior	57	
Crosby Green Top	60	

BROCCOLI—Fall Crop

Green Comet	55	H
Emperor	60	BR, DM, HS
Sultan	60	
Pinnacle	64	DM
Green Belt	70	

BROCCOLI—Spring Crop

Emperor	60	BR, DM, HS
Green Comet	60	
Marathon	68	

BRUSSELS SPROUTS

Jade Cross Hybrid (hyb)	80	
Long Island Improved	90	

CABBAGE

Savoy Express	55	
Heads Up	60	YR
Dynamo	70	YR
Blue Vantage	75	BR, YR, TB
King Cole (6-8 lb head)	78	YR
Bronco	78	BR, YR, TB
Super Red 80	82	
Ramada	83	YR, TB
Bravo	85	BR, YR

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

CABBAGE, CHINESE—Fall Crop

Blues	57	DM, VI, BSR, B
Kasumi (hyb, Napa type)	64	
China Pride (Napa type)	65	DM, TB, BSR, B

CABBAGE, CHINESE—Spring Crop

Joi-Choi (pak-choi type)	47	
China Pride (Napa type)	65	DM, TB, BSR, B
Jade Pagoda (Michihili type)	72	

CANTALOUPE, MUSKMELON

Angel (Mediterranean type) (white flesh)	60	F
Superstar	66	F
Lambkin (Christmas melon) (white flesh)	75	
Minerva	77	F, F12, PM
Athena	78	F, PM
Sweet Dreams (green flesh)	79	PM
Amy (Canary type) (white flesh)	80	
Gallicum (green flesh)	80	F
Super 45 (western type)	80	PM
Eclipse	85	F2, PM
Venus (honeydew type)	88	DM, PM
Aphrodite	80	PM, F12
Quasar	90	F2

CARROT

Pioneer	67	
Fanci Pak	70	B
Danvers Half Long	75	
Gold Pak	76	
Imperator	77	

CAULIFLOWER—Spring Crop—Success is difficult, crop usually fails.

Snow Crown	68	
Candid Charm	75	

CAULIFLOWER—Fall Crop—Success more likely in fall.

Snow King	55	
Majestic	66	BR, DM
Snow Crown	68	
Candid Charm	75	
Early Glacier	80	

*Unless otherwise noted

Disease Resistance or Tolerance

B = resists premature bolting, BCM = bean common mosaic virus, BR = black rot, BSR = bacterial soft rot, DM = downy mildew, F = Fusarium wilt, F2 = Fusarium race 2, F12 = Fusarium races 1 and 2, H = heat tolerant, HS = hollow stem, PM = powdery mildew, R = rust, TB = tip burn, VI = viruses, YR = Fusarium yellows.

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

COLLARD GREENS

Top Bunch	70	
Georgia/Southern	80	
Vates	80	B

CORN, SWEET YELLOW—High Sugar Varieties

Legend (se)	73	R
Saturn (sh2)	75	BW, R
Tuxedo (se)	75	SCLB, BW
Honey Select (sh2se)	79	
Miracle (se)	82	NCLB, R, BW
Morning Star (sh2)	83	SCLB, R, BW, NCLB
Sugar Ace (sg)	83	BW
Incredible (se)	85	SCLB, BW, R

CORN, SWEET BICOLOR—High Sugar Varieties

Candy Corner (Sh2)	73	SCLB, R, MDM
Calico Belle (Se)	80	R, SW
Gourmet Sweet Brand 275A	76	BW
Obsession (Sh2)	79	NCLB, R
Shooting Star (Sh2)	83	BW, NCLB, MDM
Summer Sweet 8102R	81	BW, NCLB, R

About high-sugar varieties of sweet corn:

There are a number of types of high-sugar varieties of sweet corn. Supersweet (sh2) varieties have the highest sugar content, have crisp kernels, and require isolation (500 ft) from normal-sugar (su), sugar-enhanced (se), field corn, and popcorn varieties. The sugar-enhanced varieties have tender kernels and higher sugar content than the normal-sugar varieties. They should be isolated from field corn and popcorn, and they taste a little better if they're isolated from normal sweet corn. Synergistic hybrid types are mixtures of two or all three of the sh2, se or su genes in order to incorporate the best qualities of these gene types. Synergistic hybrids include the Sweet Gene, Sweet Generation, Triple Sweet and Sweet Breed trademark designations. Synergistic hybrids should be isolated from super sweet and field corn varieties. Isolation may be accomplished by a separation of 14 days or more in maturity dates as well as geographic separation.

Currently, these high-sugar corn varieties (se, sh2, sg) have both advantages and disadvantages. Advantages include improved ear and kernel quality, higher sugar content, sweet flavor, and the capacity to hold sweetness longer on the stalk and in storage. Disadvantages include poor seed germination, pollination problems, less resistance to drought stress and in some cases increased disease susceptibility.

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

CORN, SWEET WHITE—High Sugar Varieties

Sweet Ice (sweet breed)	74	
Silver Princess (se)	75	
Ice Queen (sh2)	77	SCLB, BW, MDM
Gourmet Brand 378A (Sh2)	78	---
Immaculata (se)	78	
Silverado (se)	79	BW, NCLB, R
Indian Summer (sh2) (Indian type)	79	SCLB
Summer Sweet 8101R (sh2)	81	NCLB, SCLB, R
Tahoe (Sh2)	81	NCLB
Millennium (sh2)	82	SCLB, NCLB, BW, MDM
Argent (se)	89	NCLB, R, BW
Avalon (Triple Sweet)	84	NCLB

CORN, SWEET YELLOW—Normal Sugar Varieties

Sundance	67	MDM, BW
Merit	80	BW, MDM, SCLB, Sm
Golden Queen	92	NCLB

CORN, SWEET WHITE—Normal Sugar Varieties

Silver Queen	95	BW, NCLB, SCLB
--------------	----	----------------

CUCUMBER—Slicing Type

Tasty Green Hyb (10-in long fruit)	52	PM, DM
Sweet Success Hyb	55	CMV, S
Sweet Burpless Hyb	55	DM, PM, CMV, A, ALS, S
Marketmore 76	55	CMV, DM, PM, S
Dasher II	58	A, ALS, CMV, DM, PM, S
Diva	58	DM, PM, S
Indy	59	A, ALS, CMV, PM, WMV, ZYMV, S
Daytona	60	A, ALS, CMV, PM, S, WMV, ZYMV
Fanfare Hyb	63	A, PM
General Lee	66	CMV, DM, PM, S
Turbo	67	A, ALS, CMV, DM, PM, S

CUCUMBER—Pickling Type

Calypso Hyb	56	A, ALS, CMV, DM, PM, S
Little Leaf	62	A, ALS, BW, DM, CMV, PM, S

*Unless otherwise noted

Disease Resistance or Tolerance

A = anthracnose, ALS = angular leaf spot, B = resists premature bolting, BW = bacterial wilt, CMV = cucumber mosaic virus, DM = downy mildew, MDM = maize dwarf mosaic, NCLB = northern corn leaf blight, PM = powdery mildew, R = rust, S = scab, SCLB = southern corn leaf blight, Sm = smut, WMV = watermelon mosaic virus, ZYMV = zucchini yellow mosaic virus.

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

EGGPLANT

Hansel (mini eggplant)	55	
Gretel (mini eggplant)	55	
Ichiban (Japanese type)	58	
Black Bell	60	TMV
Millionaire (hyb, Japanese type)	63	
Epic (hyb)	64	
Fairy Tale (mini eggplant)	65	
Neon (hyb, deep pink color)	65	
Classic	76	
Ghostbuster (white type)	80	
Santana	80	

ENDIVE

Taglio	35	
Green Curled	90	

KALE

Blue Knight Hyb	45-55	
Redbar	55	
Red Russian (salad type)	50	
Vates	55	
White Russian (salad type)	60	
Winterbor Hyb	65	

KOHLRABI

Grand Duke	50	BR
------------	----	----

LEEKS

Titan	75	
Pancho	75	
American Flag (London)	85	

LETTUCE—Leaf Type

Grand Rapids	43	TB, B
Black-Seeded Simpson	45	
Red Sails (red)	45	B
Salad Bowl	48	B
Royal Oak Leaf	48-50	B, H

LETTUCE—Butterhead Type

Sangria (red)	49	TB, B
Buttercrunch	75	TB, B

LETTUCE—Romaine Type

Green Forest	56 days	
Parris Island Cos	76	TB

LETTUCE—Crisp Head Type

Summertime	70	H
------------	----	---

MUSTARD

Savanna Hyb	35	
Southern Giant Curled	45	
Florida Broadleaf	50	

OKRA

North & South (hyb)	46	
Annie Oakley II (hyb)	48	
Cajun Delight	50	
Clemson Spineless	56	

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

ONION

White Spanish Bunching	75	
Stuttgarter (storage)	85	
Copra (storage)	90	
Red Candy Apple	95	
Canada Bronze	96	
Super Star	100	PR
Candy	100	
Yula	103	
Sweet Sandwich	115	
White Lisbon Bunch	120	
Evergreen White Bunching	120	

PARSNIP

Harris Model	110	
Andover	120	

PEA, ENGLISH

Mr. Big	58	PM, F
Maestro	60	PM, V
Little Marvel	62	
Spring	65	F
Green Arrow	68	PM, V, F
Bolero	69	F

PEA, SNAP

Sugar Ann (dwarf)	55	F, PM
Cascadia (dwarf)	58	PM, V
Super Sugar Snap (vine, needs trellis)	64	PM, V
Sugar Snap (vine, needs trellis)	70	F
Sugar Daddy (dwarf)	72	PM, V

PEA, SNOW

Oregon Sugar Pod II	58	PM, F, V
Mammoth Melting Sugar (needs trellis)	68	F
Snowflake	72	PM

PEA, SOUTHERN

Mississippi Silver	64	
Queen Anne	68	
Crimson (Arkansas pea)	75	

**Unless otherwise noted*

Disease Resistance or Tolerance

B = resists premature bolting, BR = black rot, F = Fusarium wilt, H = heat tolerant, PM = powdery mildew, PR = Pink Root, TB = tip burn, TMV = tobacco mosaic virus, V = Verticillium wilt.

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

PEPPER—Bell (all are F1 hybrids)

Vivaldi (very early, elongated fruit)	65	
X3R Red Knight (recommended for mature red production)	65-70	BLS
King Arthur	65-70	TMV, PVY, TEV
X3R Aristotle	70	BLS

PEPPER—Colored/Specialty Bell

Purple Pepper (dark purple to red)	60	
Lilac (lavender to red)	68	
Early Sunation (yellow)	70	BLS
Valencia, (blocky, dark orange)	70	TMV
Blushing Beauty	72	TMV, BLS
Giant Marconi (good for roasting)	72	PVY, TMV
Oriole (light orange)	74	
Purple Beauty (dark purple to red)	74	
Mandarin (large, elongated, dark orange)	76	

PEPPER—Jalapeño (all are F1 hybrids)

Mitla	62	
X3R Ixtapa	70	BLS
Coyame	70	
Ballpark	70	

PEPPER—Banana and Wax Type

Sante Fe Grande (very hot)	65	
Banana Supreme (hyb)	65-70	
X3R Hot Spot	65-70	BLS
Hungarian Yellow Wax	65-70	
Hungarian Hot Wax	66	

PEPPER—Italian/Cubanelle

Aruba	65	
Corno di Toro	70-75	

PEPPER—Poblano/Ancho

Ancho Villa	70	
Ancho Ranchero	75	

PEPPER—Anaheim

Garden Salsa	70	
--------------	----	--

PEPPER—Serrano

Tuxtlas	70	
---------	----	--

PEPPER—Other

Mariachi (small chili, variable hotness)	66	TMV
Carmen (bull horn type, sweet)	75	TMV, PVY
Red Cherry Large	77	
Large Sweet Cherry	78	
Holy Molé (pasilla type, hot)	85	
Habanero (extremely hot)	90	

POTATO, IRISH—Russet

Norgold Russet	Midseason	S
Norkota (russet)	Midseason	

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

POTATO, IRISH—White

Superior	Early season	S
Kennebec	Midseason	LB, TMV

POTATO, IRISH—Red

Dark Red Norland	Early season	
Red Pontiac	Midseason	

POTATO, IRISH—Yellow

Yukon Gold	Midseason	MR
------------	-----------	----

PUMPKIN—Up to 1 lb

Baby Boo (white miniature ornamental, 5 oz)	95	
Wee-B-Little (orange ornamental, 0.5 lb, bush)	95	
Jack Be Little (miniature ornamental, 6 oz)	95	

PUMPKIN—1-5 lb

Spooktacular (hyb. 3-4 lb)	95	
Touch of Autumn (3.5-4 lb)	95	
Oz (2-4 lb) (excellent for painting)		
Baby Bear (1.5 lbs)	105	

PUMPKIN—5-15 lbs

Orange Smoothie (5-9 lb)	90	
Big Autumn (hyb, 13 lb)	90	

PUMPKIN—Hybrid Pan (5 lb)

Lumina (10 lb, white color)	110	
Spookie (10 lb; 6-8" diameter)	110	

PUMPKIN—15-25 lb

Sorcerer (15-20 lb)	95	
Pro Gold 510 (hyb, 24 lb)	95	
Gold Strike (20 lb)	110	
Howden's Field (20 lb) (problems with fruit set during hot weather)	115	
Merlin (15-25 lb)	115	PM
Magic Lantern (16-24 lb, semi-vine)	115	PM

*Unless otherwise noted

Disease Resistance or Tolerance

BLS = bacterial leaf spot, LB = late blight, MR = mosaic resistant, PM = powdery mildew, PVY = potato virus Y, S = scab, TEV = tobacco etch virus, TMV = tobacco mosaic virus.

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

PUMPKIN—25 lbs

Appalachian (hyb, 25 lb)	90	
Aladdin (hyb. 25-35 lb)	110	PM
Gold Strike	110	
Howden Biggie (35-45 lb)	115	
Gold Rush (25 lb)	120	
Burpee Prize Winner (50-200 lb)	120	
Atlantic Giant (world record—over 1,000 lb)	120	

RADISH

Cherry Belle	30	
Icicle	30	

RADISH, ORIENTAL

Minowase Summer Cross (long, fall)	50	F
Misanto Rose Flesh or Red Meat (round, fall)	75	
N. H. Cross (barrel shaped, fall)	75	

RHUBARB

Canada Red	2-3 yrs	
MacDonald	2-3 yrs	
Valentine	2-3 yrs	

SOYBEAN, EDIBLE

IA-2025 (fresh use)	70	
Butterbeans (fresh use)	90	
Garden Soy 22	90	
Garden Soy 31	94	
Garden Soy 41	113	

SPINACH

Tyee (hyb)	42	B
Melody (hyb)	43	CMV, DM
Indian Summer (fall)	48	

SQUASH, SUMMER—Scalloped

Scallopini (white or green tinted)	50	
Sunburst (golden yellow)	50	
Patty Pan (white)	52	

SQUASH, SUMMER—Yellow Straightneck (SN) or Crookneck (CN)

Fortune (SN)	40	
Prelude II (CN)	40	PM, WMV, ZYMV
Seneca Supreme (SN)	40	
Destiny III (CN)	40	WMV, CMV, ZYMV
Dixie (CN)	41	
Lemondrop (tapered cylinder, SN)	41	
Smoothie (SN)	47	
Sundance (CN)	48	
Sunbar (SN)	50	
Multipik (SN)	50	

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

SQUASH, SUMMER—Zucchini

Eight Ball (round)	35	
Papaya Pear (short necked) semi-bush	40	
Dividend	45	WMV, CMV, ZYMV
Revenue	45	WMV, CMV, ZYMV
Zucchini Elite	45	
Tigress	45	WNV, ZYMV
Wildcat	45	PM, VI
President	45	
Spineless Beauty	48	
Gold Rush (yellow)	52	

SQUASH, WINTER OR BAKING—Acorn

Tay Bell	70	PM
Table Ace (semi-bush)	78	
Cream of the Crop (white, compact bush)	85	
Carnival (multicolored, semi-vine)	85	
Heart of Gold (green and white, semi-bush)	90	
Table Gold (golden, bush)	90	
Honey Bear (green, compact vines)	100	

SQUASH, WINTER OR BAKING—Butternut

Early Butternut (compact vines)	80	
Butternut Supreme (vining)	90	
Waltham Butternut (vining)	97	
Nicklow's Delight (vining)	105	BR

SQUASH, WINTER OR BAKING—Delicata

Cornell's Bush Delicata	80	PM
-------------------------	----	----

SQUASH, WINTER OR BAKING—Delicious

Golden Delicious	100	
------------------	-----	--

SQUASH, WINTER OR BAKING—Hubbard

Golden Hubbard (vining)	100	
-------------------------	-----	--

SQUASH, WINTER OR BAKING—Kobocha and Buttercup

Bon Bon (semi bush)	81	
Sweet Mama (short vines)	85	
Delica (vining)	85	
Sunshine (reduced vined)	95	
Ambercup (vining)	100	
Buttercup (vining)	105	

**Unless otherwise noted*

Disease Resistance or Tolerance

B = resists premature bolting, BR = black rot, CMV = cucumber mosaic virus, DM = downy mildew, F = Fusarium wilt, PM = powdery mildew, VI = viruses, WMV = watermelon mosaic virus, ZYMV = zucchini yellow mosaic virus.

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

SQUASH, WINTER OR BAKING—Miscellaneous

Small Wonder (vining)	70	
Golden Nugget (bush)	95	
Trivoli (spaghetti, bush)	95	
Sweet Dumpling (vining)	100	
Sugar Loaf (vining)	100	

SWEET POTATOES

Beauregard	95	
O'Henry (white)	100	
Jewell	110-120	

SWISS CHARD

Bright Lights (multicolored)	55	
Fordhook Giant	60	

TOMATO—Patio Tomato

Basket King	55	
-------------	----	--

TOMATO—Cherry Type

Cherry Grande	60	F, V
Juliet	60	
Sugary	60	
Sungold (gold)	65	
Sweetie	65	
Mountain Belle	65	V, F1
Supersweet 100	65	F, V
Jolly (pear-shaped, pink)	70	
Cupid (grape)	71	AC, F1, ST, BSO

TOMATO—Determinate Plant

Early Girl	58	V, F12
Big Early	62	V, F1
Carolina Gold (gold)	72	V, F12
Celebrity	75	F12, V, N, TMV
Solar Set (fall production)	75	V, F12
Plum Dandy (paste tomato)	76	F1, V, EB
Roma VF (paste tomato)	76	F1, V, N
Plum Crimson (paste tomato)	80	VI, F123, EB
Mountain Fresh	77	VI, F12, EB-tolerant
Fabulous	77	V, F12, TMV, AC, ST

TOMATO—Indeterminate Plant

Sun Gold (intense sweet flavor)	57	F1, TMV
Big Beef	70	F12, V, N, TMV, LS
Better Boy (large fruited, popular at markets, good flavor)	72	F1, V (Nematode)
Pink Girl (pink)	72	
Bucks County Hybrid	74	V, F, AC, LS
Better Boy	75	F1, N, V
Brandywine (Great flavor, large 12-16 oz fruits; available in red, pink, yellow)	78	---
Kentucky Beefstake (8-10 oz orange/yellow fruit, will retain some green shoulders at stem end)	90	---

Recommended Vegetable Cultivars		
Cultivar	Days to Maturity*	Resistance or Tolerance to Disease

TOMATO—Tomatillo (*husk tomatoes*)

Verde Puebla	75	
Supertillo	75	

TURNIP

Tokyo Cross Hyb (all white)	35	
Seven Top (greens only)	42	
Purple Top White Globe	55	

WATERMELON

Yellow Baby	70	
Tiger Baby (icebox type)	75	F
New Queen (orange flesh)	75	
Sweet Beauty (ice box type)	80	
Stars 'n' Stripes	85	A, F1
Royalty	85	
Sangria	87	A, F
Fiesta (allsweet type)	88	A, F

WATERMELON—Seedless

Ultra Cool	75	
Treasure Chest (yellow)	80	
Revolution (large elongated)	82	
Crimson Jewel	83	
Orange Sweet (Orange)	84	
Triple Prize	85	
Tri-X Shadow	89	
Millionaire	92	

*Unless otherwise noted

Disease Resistance or Tolerance

A = anthracnose, AC = Alternaria stem canker, BSO = bacterial speck race 0, EB = early blight, F = Fusarium wilt, F1 = Fusarium race 1, F12 = Fusarium races 1 and 2, F123 = Fusarium races 1, 2, and 3, LS = gray leaf spot, N = root knot nematode, ST = Stemphylium, TMV = tobacco mosaic virus, V = Verticillium wilt, VI = viruses.